AGENDA

SAFETY

HYDRATION SUMMER FRUITS

Donôt like drinking water? Fruits can be a great source of major hydration,

GENERAL TOPICS

PAS TEAM UPDATES



- L4(31)8(yl)-7on SmeathersS
-

PAS GIS TRAINING CLASSES

- GIS* training DOES NOT:
  - Pole Attachment Standards
  - Pole Attachment Process
  - Replace Design Training
- GIS TrainS9(coe)verINbINaiGIdeinaiG tr120(ai)-6(n)-61STe8(to ai)-subin

:

APPROVED ENGINEERING FIRMS

- During the September Quarterly, it was announced that CPS Energy would evaluate & trim the list of Approved Engineering Firms
- The PAS team has identified firms that have not submitted applications since August of 2022
  - The list will be updated on the website shortly
-

GIS DESIGN PAGE EXAMPLES

- Planned by: Designer name
-

GIS DESIGN PAGE EXAMPLES

- Seal: PE seal needed by T-5000 approval on all EMRs over $8,000 CIAC cost
  - If under $8,000 then N/A
- Outages
- Associated Work Orders: PALMR OH, PALMR UG, PALMR AT&T PCO, PALUPG
- Locates & permits:
  - City/County/TXDOT/RR/etc. permit notes
  - DIG TESS/SAWS/City Water & Sewer/etc.
- Environmental notes

GIS DESIGN PAGE EXAMPLES

REQUIRED FIELDS IN PAGE TEMPLATE NOTE

Page Template Note Example

- Field meeting notes
  - Hand dig
  - Staked location
  - Any field coordination notes:
    - CPS Fiber
    - Detaching streetlight
    - Property access
    - Etc.
- Miscellaneous Notes
  - Contact designer note
  - Standard/non-standard placement not for PCO & MS locations
  - Etc.

APPLICATION SUBMITTALS

As was stated in September quarterly: If proposing attachment heights, proposed mid-span heights should be included for all affected spans

APPLICATION SUBMITTALS

Reminders for Application Pole Rows

COMMON APPLICATION REJECTIONS

- Pole loading analysis (PLA) Report(s) should include coversheet stamped by a PE, or each individual PLA Report is to be stamped

COMMON APPLICATION REJECTIONS

- Existing attachments are attachments that already have finalREJEts issued by Cy
- InstallationsSubt 7EorSubtto submitting a 7(Rp)3(l)-7(i)-7(cati)-4(onsSorS CPS Ene7(Rrg)5(y wi)-9(l)-7(l)-7(Subtb7(REJE))-13(tre)6(ate)6(d)4( )-13

still considered as a new attachment and not an esting attachmen

Unauthorattachments will bealas laid out in the Pole Attachment Standar

DESIGNER RESPONSIBILITIES



- Designer (design company) is responsible for coordinating the field meeting for the Recloser Antenna adjustment for the proposed remedies with Antonio Rodriguez at 210-353-5703 abrodriguez@cpsenergy.com
- Designer must upload approved email from Antonio into Work Manager task 2360

COMMUNICATION TRANSFERS & SAI0S & RS &

PROCESS STANDARDS

- Attachers must iCPS s

- facoswhen f(i)10(bs)3ers

TXDOT RIGHT OF WAY UPDATES

- TXDOT has updated many of their regulations
- Biggest change for Pole Attachments is that the minimum height along any TXDOT right of way is 18'
- Applies to scenarios where

LiDAR DATA AND NJUNS TICKET